

**VM101 Glandular Lesions in Cervicovaginal Cytology:
Conventional and Liquid-Based Preparations**

Dina R. Mody, MD, FCAP
September 30, 2007 8:30 AM – NOON

General References

Mody D and Ramzy I. Glandular Neoplasia of the Uterus and Adnexa. In Ramzy I: *Clinical Cytopathology and Aspiration Biopsy*. 2001, Second Edition, New York, NY, McGraw Hill.

Solomon D, Davey D, Kurman R, Moriarty A, O'Connor D, et al. The 2001 Bethesda system: Terminology for reporting results of cervical cytology. *JAMA*. 2002;287:2114-2119 (see www.asccp.org)

Solomon D and Nayar R (eds). *The Bethesda System for reporting Cervical Cytology*. Second Edition, Springer, New York. 2004;6:123-156.

AGUS/AGC

Mody DR. Agonizing over AGUS, *Cancer*. 1999;87(5):243-244.

Davey D, Woodhouse S, Styler P, Stasny J and Mody D. Atypical epithelial cells and specimen adequacy: Current laboratory practice of the participants in the College of American Pathologists Interlaboratory comparison program. *Archives of Pathology and Laboratory Medicine*. 2000;124(2):203-211.

DiTomasso J, Ramzy I and Mody D. Glandular lesions of the cervix: Validity of cytologic criteria used to differentiate reactive glandular changes, glandular intraepithelial lesions and Adenocarcinoma. *Acta Cytol*. 1996;40:1127-1135.

Soofer SB, Sidawy MK: Atypical glandular cells of undetermined significance: clinically significant lesions and means of patient follow-up. *Cancer*. 2000;90(4):207-14.

Veljovich DS, Stoler MH, Anderson WA, Covell JL, and Rice LW. Atypical glandular cells of undetermined significance: a five year retrospective histopathologic study. *Am J of Obstetand Gynecol*. 1998;179:382-390.

Raab S, Isacson C, Layfield L et al. Atypical Glandular cells of undetermined significance. Cytologic criteria to separate clinically significant from benign lesions. *Am J of Clin Path*. 1995;104(5):574.

Cherkis RC, Patten SF, Andrews TJ, Dickinson JC, and Patten FW. Significance of normal endometrial cells detected by cervical cytology. *Obstet & Gynecol*. 1988;71:242.

Cherkis RC, Patten SF, Dickinson JC, and Dekanich AS. Significance of atypical endometrial cells detected by cervical cytology. *Obstet & Gynecol*. 1987;69:786.

Chhieng DC, Elgert P, Cangiarella JF, Cohen JM. Significance of AGUS Pap smears in pregnant and postpartum women. *Acta Cytol*. 2001;45(3):294.

Chhieng DC, Elgert P, Cangiarella JF, Cohen JM. Variation in the incidence of AGUS between different patient populations. *Acta Cytol*. 2001;45(3):287.

Chhieng DC, Elgert P, Cangiarella JF, Cohen JM. Clinical significance of atypical glandular cells of undetermined significance in postmenopausal women. *Cancer*. 2001;93(1):2001.

Hong SR, Park JS, Kim HS. AGUS in cervical smears after conization. Cytologic features differentiating them from AIS. *Acta Cytol*. 2001;45(3):163.

VM101 Glandular Lesions in Cervicovaginal Cytology: Conventional and Liquid-Based Preparations

Dina R. Mody, MD, FCAP

Bai H, Sung CJ, Steinhoff MM. ThinPrep pap test promotes detection of glandular lesions of the endocervix. *Diagn Cytopathol.* 2003;23(1):19.

Sherman ME, Dasgupta A, Schiffman M, Nayar R, Solomon D. The Bethesda interobserver reproducibility study (BIRST): a web-based assessment of the Bethesda 2001 system for classifying cervical cytology. *Cancer.* 2006.

Garcia MT, Acar BC, Jorda M, Gomez-Fernandez C, Ganjei-Azar P. Use of p63 for distinction of glandular versus squamous lesions in cervicovaginal specimens. *Cancer.* 2006 Dec 15.

Wood MD, Horst JA, Bibbo M. Weeding atypical glandular cell look-alikes from the true atypical lesions in liquid-based Pap tests: A review. *Diagn Cytopathol.* 2007;35(1):12-7.

Confortini M, Di Bonito L, Carozzi F, Ghiringhello B, Montanari Gm Parisio F, Prandi S; GISCi Working Group for Cervical Cytology. Interlaboratory reproducibility of atypical glandular cells of undetermined significance: a national survey. *Cytopathology.* 2006;17(6):353-60.

Glandulars and HPV typing

Andersson S, Larson B, Hjerpe A, Silfversvärd C, Sallström J, Wilander E and Rylander E. Adenocarcinoma of the uterine cervix: the presence of human papillomavirus and the method of detection. *Acta Obstet Gynecol Scand* 2003;82:960-965.

Andersson S, Rylander E, Larsson b, Strand A, Silfversvärd C, Wilander E. The role of human papillomavirus in cervical adenocarcinoma carcinogenesis. *Euro J of Cancer.* 2001;37:246-250.

Andersson S, Rylander E, Larson B, Sigurdardóttir S, Backlund I, Sallström J, Wilander E. Types of human papillomavirus revealed in cervical adenocarcinomas after DNA sequencing. *Onc Reports.* 2003;12:175-179.

Castellsagué X, Díaz M, de Sanjosé S, Muñoz N, Herrero R, Franceschi S, Peeling RW, Ashley R, Smith JS, Snijders PJF, Meijer CJLM, Bosch FX. Worldwide human papillomavirus etiology of cervical adenocarcinoma and its cofactors: implications for screening and prevention. *J Nat Cancer Inst.* 2006;98:5.

Cibas ES, Hong X, Crum CP, Feldman S. Age-specific detection of high risk HPV DNA in cytologically normal computer-imaged ThinPrep Pap samples. *Gyn Onc.* 2006 (in press).

Walboomers JMM, Jacobs MV, Manos MM, Bosch FX, Kummer JA, Shah KV, Snuders JF, Peto J, Mijer CJLM, Muñoz N. Human papillomavirus is a necessary cause of invasive cervical cancer worldwide. *J of Path.* 1999;189:12-19.

Diaz-Montes TP, Farinola MA, Zahurak ML, Bristow RE, Rosenthal DL. Clinical utility of atypical glandular cells (AGC) classifications: Cytohistologic comparison and relationship to HPV results. *Gynecol Oncol.* 2006;Oct 13.

Krane JF, Lee KR, Sun D, Yuan L, Crum CP. Atypical glandular cells of undetermined significance. *Am J Clin Pathol.* 2004;121:87-92.

Nielsen AL. Human Papillomavirus Type 16/18 in Uterine Cervical Adenocarcinoma In Situ and Adenocarcinoma. *Cancer.* 1990;65:2588.

Pirog EC, Kleter B, Olgac S, Bobkiewicz P, Lindeman J, Quint WGV, Richart RM, Isacson C. Prevalence of human papillomavirus DNA in different histological subtypes of cervical adenocarcinoma. *Am J of Pathol* 2000;157(4):1055-1062.

VM101 Glandular Lesions in Cervicovaginal Cytology: Conventional and Liquid-Based Preparations

Dina R. Mody, MD, FCAP

Plunkett M, Brestovac B, Thompson J, Sterrett G, Filion P, Smith D, Frost F. The value of HPV DNA typing in the distinction between adenocarcinoma of endocervical and endometrial origin. *Pathology* 2003;35(5):397-401.

Rabelo-Santos SH, Villa LL, Derchain SF, Ferreira S, Sarjan LO, Angelo-Andrade LA, do Amaral Westin MC, Zeferino LC. Variants of human papillomavirus types 16 and 18: histological findings in women referred for atypical glandular cells or adenocarcinoma in situ in cervical smear. *Int J Gynecol Pathol.* 2006;25(4):393-7.

Ronnett BM, Manos MM, Ransley JE, Fetterman BJ, Kinney WK, Hurley LB, Ngai JS, Kurman RJ, Sherman ME. Atypical glandular cells of undetermined significance (AGUS): cytopathologic features, histopathologic results, and human papillomavirus DNA detection. *Human Pathol.* 1999;30(7):816-825.

Zielinski GD, Snijders PJ, Rozendaal L et al. The presence of high risk HPV combined with specific p53 and p16ink4a expression patterns points to high risk HPV as the main causative agent for adenocarcinoma in situ and adenocarcinoma of the cervix. *J Pathol.* 2003;201:535-543.

Endocervical Adenocarcinoma, AIS and GILS

Alejo M et al. AIS of the uterine cervix: clinicopathologic study of nine cases with detection of HPV DNA by in situ hybridization and PCR. *Int J Gynecol Pathol.* 1993;12(3):219.

Ayer B, Pacey F, Greenberg M, Bousfield L. The cytologic diagnosis of Adenocarcinoma in Situ of the cervix uteri and related lesions. I. Adenocarcinoma in Situ. *Acta Cytol.* 1987;31:397.

Ayer B, Pacey F, Greenberg M. The cytologic diagnosis of Adenocarcinoma in Situ of the cervix uteri and related lesions. II. Microinvasive Adenocarcinoma. *Acta Cytol.* 1988;32:318.

Ayer B, Pacey F, Greenberg M. The cytologic diagnosis of Adenocarcinoma in Situ of the cervix uteri and related lesions. III. Pitfalls in Diagnosis. *Acta Cytol.* 1988;32:325.

Ballo M, Silverberg S and Sidawy M. Cytologic features of well differentiated Villoglandular Adenocarcinoma of the cervix. *Acta Cytol.* 1996;40(3):536.

Jones M, Silverberg S, Kurman R: Well differentiated villoglandular adenocarcinoma of the uterine cervix: A clinicopathologic study of 24 cases. *Int J Gynecol Pathol.* 1993;12;1.

Rahilly MA, Williams ARW, Al-Nafussi A: Minimal deviation endometrioid adenocarcinoma of cervix: A clinicopathological and immunohistochemical study of two cases. *Histopathol.* 1992;20:351-354.

Renshaw AA, Mody DR, Lozano RL Volk EE, Walsh MK, Davey DD, Birdsong GG. Detection of adenocarcinoma in situ of the cervix in Papanicolaou tests: comparison of diagnostic accuracy with other high-grade lesions. *Arch of Path and Lab Med.* 2004;128(2):153-157.

Szyfelbien W, Young RH and Scully RE. Adenoma Malignum of the Cervix , cytologic findings. *Acta Cytol.* 1984;28:691.

ThinPrep and Glandulars

Ashfaq R, Gibbons D, Vela C, Saboorian MH, Li YAF. Thin-prep Pap test accuracy for glandular disease. *Acta Cytol.* 1999;43:81-5.

Johnson J, Rahemtulla R. Endocervical glandular neoplasia and its mimics in Thin Prep Pap tests: A descriptive study. *Acta Cytol.* 1999;43:369-75.

Ozkan F, Ramzy I and Mody DR: Glandular lesions of the Cervix on Thin-Layer Pap Tests. Validity of cytologic criteria used in identifying significant lesions. *Acta Cytol.* 2004;48:372-379.

VM101 Glandular Lesions in Cervicovaginal Cytology: Conventional and Liquid-Based Preparations

Dina R. Mody, MD, FCAP

Papillo JL, Zarka MA, St. John TL. Evaluation of the Thin-prep Pap test in clinical practice: a seven month 16,314 case experience in northern Vermont. *Acta Cytol.* 1998;42:203-8.

Roberts JM, Thurloe JK, Bowditch RC, Humcevic J, Lavery CR. Comparison of Thin-prep and Pap smear in relation to prediction of adenocarcinoma in situ. *Acta Cytol.* 1999;43:74-80.

SurePath

Marino J., Fremont-Smith M. Direct-To-Vial Use of the AutoCyte PREP System for Cervical Cancer Screening. (abstract) *Acta Cytol.* 2000;44.

Marino J., Fremont-Smith M. Direct-To-Vial Experience with AutoCyte in a Small New England Regional Cytology Practice. *Journal Reproductive Medicine.* 2001;46:4:353-358.

Royer M, Smith K. Comparison of AutoCyte PREP performance to the conventional Pap smear. *Acta Cytol.* 2001;45(5):827.

Royer M, Smith K. Comparison of AutoCyte PREP adequacy to the conventional Pap smear. *Acta Cytol.* 2001;45(5):827.

Studeman KD, Ioffe OB, et.al. Sensitivity of AutoCyte PREP in cervical samples of varying cellularity. *Acta Cytol.* 2001;45(5):813.

Endometrial Adenocarcinoma

Guidos BJ, Selvaggi SM. Detection of endometrial adenocarcinoma with ThinPrep pap test. *Diagn Cytopathol.* 2000;23(4):260.

Koss LG, Schreiber K, Oberlander SG, Moussouris HF and Lesser M. Detection of Endometrial carcinoma and hyperplasia in asymptomatic women. *Obstet & Gynecol.* 1984;64:1.

Koss LG: *Diagnostic cytology and its histopathologic bases.* 4th Edition, JB Lippincott, Philadelphia, 1992, pp. 555-557.

Kuebler DL, Nikrui N and Bell DA. Cytologic features of Endometrial Papillary Serous Carcinoma. *Acta Cytol.* 1989;33:120.

Zuna R, Enroll. Utility of pap smears in assessing endocervical involvement by endometrial carcinoma. *Acta Cytol.* 1994;38:812.

Repair, Ablative Therapy, Reactive

Holmquist ND, Bellina JH, Danos ML: Vaginal and cervical cytologic changes following laser treatment. *Acta Cytol.* 1976;20:290.

Lee KR. Atypical glandular cells in smears from women who have undergone cone biopsy. A potential diagnostic pitfall. *Acta Cytol.* 1993;37(5):705.

Sharp GLM et al: Healing of cervical epithelium after laser ablation of cervical intraepithelial neoplasia, *Clin Pathol.* 1984;37:611.

Szarewski, A, et al: Cervical smears following laser treatment: comparison of cervix brush versus cytobrush-ayre spatula sampling. *Acta Cytol.* 1991;35:76-78.

Wilbur D: Endocervical Glandular atypia: A "new" problem for the cytologist. *Diag Cytopath.* 1995;13(5):463.

VM101 Glandular Lesions in Cervicovaginal Cytology: Conventional and Liquid-Based Preparations

Dina R. Mody, MD, FCAP

Microglandular Hyperplasia

Valente PT, Schantz D, Schultz M. Cytologic atypia associated with microglandular hyperplasia. *Diag Cytopath.* 1994;10(4):336-341.

Selvaggi S, Haefner H. Microglandular endocervical hyperplasia and tubal metaplasia: pitfalls in the diagnosis of adenocarcinoma on cervical smears. *Diag Cytopath.* 1997;16(2):168.

Tubal Metaplasia

Babkowski R, Wilbur D, Rutkowski M, Facik M and Bonfiglio T. The effects of Canal topography, Tubal metaplasia, and high canal sampling on cytologic presentation of non neoplastic endocervical cells. *Am J of Clin Path.* 1996;105(4):403.

Ducatman BS et al. Tubal Metaplasia a cytologic study with comparison to other neoplastic and non neoplastic conditions of the endocervix. *Diagn Cytopathol.* 1993; 9(1):103.

Hirschowitz L, Eckford S, Phillpotts B et al. Cytologic changes associated with tuboendometroid metaplasia of the uterine cervix. *Cytopathology.* 1994;5:1.

Jonasson JG, wang HH, Antonioli DA, Ducatman BS. Tubal metaplasia of the uterine cervix: a prevalence study in patients with gynecologic pathologic findings. *Int J Gynecol Pathol.* 1992;11(2):89.

Novotny DB, Maygarden SJ, Johnson DE, Frable WJ. Tubal metaplasia a frequent potential pitfall in the cytologic diagnosis of EGD on cervical smears. *Acta Cytol.* 1992;36(1):1.

Ducatman B, Wang H, Jonasson J, Hogan C, Antonioli D. Tubal Metaplasia, a cytologic study with comparison to other neoplastic and non neoplastic conditions of the endocervix. *Diag Cytopath.* 1994;9(1):98-105.

Cervical Endometriosis/ Lower Uterine Segment Endometrials

Ismail SM. Cone biopsy causes cervical endometriosis and tuboendometroid metaplasia. *Histopathology.* 1991;18:107-114.

Yeh I, Bronner M, LiVolsi V. Endometrial metaplasia of the uterine cervix. *Arch Pathol Lab Med.* 1993;117(7):745-5.

de Peralta-Venturino MN, Purslow MJ, Kini SR. Endometrial cells of "the lower uterine segment" (LUS) in cervical smears obtained by endocervical brushings: a source of potential diagnostic pitfall. *Diag Cytopathol.* 1995;12:263.

SIL vs GIL

Selvaggi SM. Cytologic features of squamous cell carcinoma in situ involving endocervical glands in cytobrush specimens. *Acta Cytol.* 1994;38:687.

Van Hoven K, Hudock J, Hanau. Endocervical gland extension of CIN on Papanicolaou smear and cone biopsy. *Acta Cytol.* 1994;38:817.

Transitional Cell Metaplasia

Egan A, Russell P. Transitional cell metaplasia of the uterine cervix: Morphological assessment of 31 cases. *Int J Gynecol Pathol.* 1997;16(2):89.

Weir MM and Bell DA. Transitional cell metaplasia of the cervix: A newly described entity in cervicovaginal smears. *Diag Cytopath.* 1998;18(3):222-229.